

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

June 12, 2025


Norwescap Head Start
Well Qualified LLC [WLQU75]
9 Boulder Hills Blvd
Sussex, New Jersey 07461

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 6/5/2025. The results are tabulated on the attached pages for the following client designated project:

9 Boulder Hills Blvd Sussex, NJ 07461

The reference number for these samples is EMSL Order #: AD23610 . Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact the lab at 856-858-4800.

Report Date	Report Revision	Report Comments
06/12/2025	0	Initial Report



Owen McKenna, Laboratory Manager or other approved signatory

Table of Contents

Cover Letter	1
Sample Condition on Receipt	3
Samples in Report	4
Positive Hits Summary	5
Sample Results	6
Quality Assurance Results	9
Certified Analyses	10
Certifications	10
Qualifiers, Definitions and Disclaimer	11
Chain of Custody PDF	12

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: cs@emsl.com
EMSL-CIN-01

Attention: Norwescap Head Start
Well Qualified LLC [WLQU75]
9 Boulder Hills Blvd
Sussex, New Jersey 07461
(973) 362-1306
wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 06/05/2025 12:30
Reported: 06/12/2025 13:57

Sample Condition on Receipt

Cooler ID: Default Cooler **Temperature:** °C

Custody Seals	Y
Containers Intact	Y
COC/Labels Agree	Y
Preservation Confirmed	N

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
Well Qualified LLC [WLQU75]
9 Boulder Hills Blvd
Sussex, New Jersey 07461
(973) 362-1306
wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:

EMSL Sales Rep: Josh Silverman

Received: 06/05/2025 12:30

Reported: 06/12/2025 13:57

Samples in this Report

Lab ID	Sample	Matrix	Date Sampled	Date Received
AD23610-01	3 POT	Drinking Water	6/4/25 9:00 am	06/05/2025
AD23610-02	KT Hand	Drinking Water	6/4/25 9:05 am	06/05/2025
AD23610-03	Classroom	Drinking Water	6/4/25 9:10 am	06/05/2025

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax: cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461**Customer PO:****EMSL Sales Rep:** Josh Silverman**Received:** 06/05/2025 12:30**Reported:** 06/12/2025 13:57**Positive Hits Summary**

Lab ID	Client ID					Sampled
AD23610-01	3 POT					06/04/25 09:00
Method	Analyte	Result	Qualifier	Unit	Analyzed	
EPA 200.8	Lead	2.48		ppb	06/11/2025 00:43	
Lab ID	Client ID					Sampled
AD23610-02	KT Hand					06/04/25 09:05
Method	Analyte	Result	Qualifier	Unit	Analyzed	
EPA 200.8	Lead	5.67		ppb	06/11/2025 00:48	

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:
EMSL Sales Rep: Josh Silverman

Received: 06/05/2025 12:30
Reported: 06/12/2025 13:57

Sample Results

Sample: 3 POT
AD23610-01 (Drinking Water)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Prep/Analyst Initials	Prep Method	Analytical Method
Metals										
Lead	2.48		1	1.00	ppb	06/09/25 16:45	06/11/25 00:43	KF/PL	EPA 200.8 (DA)	EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax: cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:
EMSL Sales Rep: Josh Silverman

Received: 06/05/2025 12:30

Reported: 06/12/2025 13:57

Sample Results**(Continued)**

Sample: KT Hand
AD23610-02 (Drinking Water)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Prep/Analyst Initials	Prep Method	Analytical Method
Metals										
Lead	5.67		1	1.00	ppb	06/09/25 16:45	06/11/25 00:48	KF/PL	EPA 200.8 (DA)	EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461**Customer PO:****EMSL Sales Rep:** Josh Silverman**Received:** 06/05/2025 12:30**Reported:** 06/12/2025 13:57**Sample Results****(Continued)**

Sample: Classroom
AD23610-03 (Drinking Water)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Prep/Analyst Initials	Prep Method	Analytical Method
Metals										
Lead	ND	1	1.00		ppb	06/09/25 16:45	06/11/25 00:50	KF/PL	EPA 200.8 (DA)	EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 06/05/2025 12:30
Reported: 06/12/2025 13:57

Quality Control**Metals**

Analyte	Result Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BDF0995 - EPA 200.8 (DA)									
Blank (BDF0995-BLK1)									
Lead	ND	1.00	ppb						
Prepared: 6/9/2025 Analyzed: 6/11/2025									
LCS (BDF0995-BS1)									
Lead	10.6	1.00	ppb	10.00		106	85-115		
Prepared: 6/9/2025 Analyzed: 6/11/2025									
LCS Dup (BDF0995-BSD1)									
Lead	10.6	1.00	ppb	10.00		106	85-115	0.7	200
Prepared: 6/9/2025 Analyzed: 6/11/2025									
Matrix Spike (BDF0995-MS1)									
Source: AD23610-01									
Lead	12.4	1.00	ppb	10.00	2.48	99	70-130		
Prepared: 6/9/2025 Analyzed: 6/11/2025									
Matrix Spike (BDF0995-MS2)									
Source: AD23578-08									
Lead	10.8	1.00	ppb	10.00	ND	108	70-130		
Prepared: 6/9/2025 Analyzed: 6/11/2025									
Matrix Spike Dup (BDF0995-MSD1)									
Source: AD23610-01									
Lead	13.2	1.00	ppb	10.00	2.48	107	70-130	6	20
Prepared: 6/9/2025 Analyzed: 6/11/2025									
Matrix Spike Dup (BDF0995-MSD2)									
Source: AD23578-08									
Lead	11.0	1.00	ppb	10.00	ND	110	70-130	2	20
Prepared: 6/9/2025 Analyzed: 6/11/2025									

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461**Customer PO:****EMSL Sales Rep:** Josh Silverman**Received:** 06/05/2025 12:30**Reported:** 06/12/2025 13:57**Certified Analyses included in this Report**

Analyte	CAS #	Certifications
EPA 200.8 in Drinking Water		
Lead	7439-92-1	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2026
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	American Industrial Hygiene Association (AIHA LAP, LLC)	100194	04/01/2027
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax: cs@emsl.com
 EMSL-CIN-01

EMSL Order ID: 012523610**LIMS Reference ID:** AD23610**EMSL Customer ID:** WLQU75

Attention: Norwescap Head Start
 Well Qualified LLC [WLQU75]
 9 Boulder Hills Blvd
 Sussex, New Jersey 07461
 (973) 362-1306
 wellqualifiedllc@hotmail.com

Project Name: 9 Boulder Hills Blvd Sussex, NJ 07461

Customer PO:
EMSL Sales Rep: Josh Silverman

Received: 06/05/2025 12:30
Reported: 06/12/2025 13:57

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.
%REC	Percent Recovery
RPD	Relative Percent Difference
Source	Sample that was matrix spiked or duplicated

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.



EMSL Order Number / Lab Use Only

EMSL Analyti Table of Contents
200 Rt 130 N
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: EnvChemistry2@EMSL.com

AD23610

Customer Information		Billing Information					
Customer ID: WLQ075		Billing ID:					
Company Name: Well Qualified		Company Name: Well Qualified					
Contact Name: Norwescap Head Start		Billing Contact: Ed Dippel					
Street Address: 9 Boulder Hills Blvd		Street Address: 13 Village Dr					
City, State, Zip: Sussex, NJ 07461		City, State, Zip: Lafayette, NJ 07848					
Country: US		Country: US					
Phone: 973-362-1306		Phone: 973-362-1306					
Email(s) for Report: wellqualifiedllc@hotmail.com		Email(s) for Invoice: wellqualifiedllc@hotmail.com					
Project Name/No: 9 Boulder Hills Blvd Sussex, NJ 07461		Purchase Order:					
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>		US State where samples collected: NJ State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)					
Samples for Compliance? Yes No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, for NPDES? Yes No Other (Specify)		PWS ID: State Reporting Required? Yes No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
Samples Collected by (Check One): EMSL CLIENT Samples Received Chilled? Yes No		Sample(s) Temperature Upon Receipt (LAB ONLY) 40°C					
Sampled By Name: John		Sampled By Signature: [Signature]					
Turn-Around-Time (TAT)		Standard Turn-Around-Time: 2 Weeks The following TAT's are subject to Lab approval. Cell lab to confirm TAT before submital.					
		1 Week 4 Days 3 Days 2 Days 1 Day					
Client Sample ID	Comp	Grab	Date / Time Collected	Matrix	Preservative	List Test(s) Needed (Write in test below, then check on sample line.)	Comments
				W=Water S=Soil A=Air SL=Sludge O=Other	1 HCL 2 HNO3 3 H2SO4 4 ICE 5 Other <small>Describe below in Special Instructions</small>	Test 1: 1st draw lead Test 2: Test 3: Test 4: Test 5: Test 6: Test 7: Test 8:	
3PoT	<input checked="" type="checkbox"/>	X	900	W		<input checked="" type="checkbox"/>	
KT Hand	<input checked="" type="checkbox"/>	X	905	L		<input checked="" type="checkbox"/>	
ClassRoom	<input checked="" type="checkbox"/>	X	910	L		<input checked="" type="checkbox"/>	
Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)							
Reporting Requirements: Results Only Results and QC Reduced Deliverables #results EDD Excel Other (Describe Above)							
Method of Shipment: Carrier Sample Condition Upon Receipt: Received by: [Signature] Date/Time: 6/4/25 163							
Relinquished by: [Signature] Date/Time: 6/5/25 1018 Received by: [Signature] Date/Time: 6/5/25 1230							
Controlled Document: [Signature] Page 1 of 2							